


# 2022 Annual Drinking Water Quality Report



## Water Quality Excellence

Metropolitan's water quality is equal to or better than what is required to safeguard public health.

Covering the reporting period  
January – December 2021



Metropolitan is a regional wholesaler that provides water for 26 member public agencies to deliver—either directly or through their sub-agencies—to 19 million people living in Los Angeles, Orange, Riverside, San Bernardino, San Diego and Ventura counties. Metropolitan imports water from the Colorado River and Northern California to supplement local supplies, and helps its members develop increased water conservation, recycling, storage and other resource-management programs.

Colorado River water is conveyed via Metropolitan's 242-mile Colorado River Aqueduct from Lake Havasu on the California-Arizona border, to Lake Mathews near Riverside. Water supplies from Northern California are released from Lake Oroville and drawn from the confluence of the Sacramento and San Joaquin rivers. They are transported in the State Water Project's 444-mile California Aqueduct.

# A Letter from the General Manager


Amid record low water supplies, a historic multi-year drought in California and the COVID-19 pandemic, ensuring the standard and quality of Southern California's water has never been more essential. Whether in our offices, treatment plants, laboratories, desert pumping facilities, on lakes, along many miles of aqueduct and pipelines, or on the road somewhere within our vast system—our “We Are One” team has an unwavering mission to ensure the region has an adequate and reliable supply of high-quality water and to protect the water supply for 19 million Southern Californians.

During this, my first year as General Manager of Metropolitan, I have witnessed first-hand the dedication of our employees who day in and day out, exemplify a true commitment to public service in challenging times. On behalf of all of Metropolitan's employees, I am pleased to present this Annual Drinking Water Quality Report, which summarizes water quality monitoring data for 2021.

Metropolitan is a leader in protecting water quality, through science, technology and innovation. We monitor for over 400 constituents and performed about 200,000 tests on samples collected throughout our vast water system, while also developing and following protective measures required for working under pandemic conditions. In collaboration with the national Partnership for Safe Water for more than 25 years, Metropolitan and other water suppliers continue to improve the quality of drinking water throughout the nation. Additionally, in January 2021, the State Water Resources Control Board adopted a new laboratory accreditation regulation that imposes more stringent quality assurance and documentation requirements on laboratories that test drinking water for regulatory compliance. Metropolitan's Water Quality Laboratory staff have continued to rise to the challenge and as a result, our treated water is equal to and in many cases surpasses regulatory requirements.

The core feature of this report is a detailed table that begins on page 12 and provides testing results. Additionally, a Reader's Guide helps explain the data. To learn about other water quality and supply issues, visit Metropolitan's website at [mwdh2o.com](http://mwdh2o.com). You also may contact Dr. Paul Rochelle, manager of Metropolitan's Water Quality Section, at (909) 392-5155 or [prochelle@mwdh2o.com](mailto:prochelle@mwdh2o.com). 💧

Sincerely,



Adel Hagekhalil, Chief Executive and General Manager  
The Metropolitan Water District of Southern California

# DRINKING WATER AND YOUR HEALTH

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791) or by visiting the U.S. Environmental Protection Agency's website at [www.epa.gov/ground-water-and-drinking-water](http://www.epa.gov/ground-water-and-drinking-water).



Associate Chemist Michael Olague titrating a water sample for alkalinity.

## //EMERGING CONTAMINANTS AND TECHNOLOGIES

In 2021, along with various water industry organizations, Metropolitan continued to engage with the State Water Resources Control Board to develop an appropriate microplastics monitoring plan and ensure the detection methodology is reliable. Metropolitan's Water Quality Laboratory is also preparing for possible mandated microplastics monitoring beginning in 2023.

Metropolitan continues to voluntarily monitor for per- and polyfluoroalkyl substances (PFAS) in source and treated

waters. As in previous years, PFHxA was the only PFAS detected, at very low concentrations, in treated water in 2021 (see page 14). Three additional PFAS compounds were also detected, at very low concentrations in Lake Perris, using U.S. Environmental Protection Agency's newest drinking water method.

Emerging contaminants are also being investigated at Metropolitan's Pure Water Southern California demonstration plant, along with pathogen reduction and treatment performance. Partnering with

the Los Angeles County Sanitation Districts, the first phase of testing was completed in November 2021, demonstrating the required level of pathogen removal when purifying secondary treated wastewater, and highly effective removal of PFAS. Testing over the next two years will evaluate treatment performance with primary wastewater, with a goal of gaining regulatory acceptance and approval for design of a full-scale advanced water treatment plant, thus securing a reliable drought-proof supply of local water for Southern California.

# CONTAMINANTS THAT MAY BE PRESENT

Water agencies are required to use the following language to discuss the source of contaminants that may reasonably be expected to be found in drinking water, including tap water and bottled water.

Contaminants that may be present in sources of drinking water include:

**Microbial contaminants**, such as viruses and bacteria, which may come from wastewater treatment plants, septic systems, agricultural livestock operations and wildlife

**Inorganic contaminants**, such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming

**Pesticides** and **herbicides** that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses

**Organic chemical contaminants**, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural applications and septic systems

**Radioactive contaminants** that can be naturally occurring or be the result of oil and gas production and mining activities

To ensure that tap water is safe to drink, the U.S. Environmental Protection Agency and the State Water Resources Control Board, Division of Drinking Water, prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. California Department of Public Health and U.S. Food and Drug Administration regulations also establish limits for contaminants in bottled water that provide the same protection for public health.



Assistant Microbiologist Anna-Marie Kelemen examining cell cultures under a microscope.

## // HEALTH ADVISORY FOR PEOPLE WITH WEAKENED IMMUNE SYSTEMS

Although Metropolitan treats water to meet drinking water standards, some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including those with cancer undergoing chemotherapy, persons who have undergone organ transplants or have HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These individuals should seek advice about drinking water from their health care providers. The U.S. Environmental Protection Agency and Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants can be found at their respective websites, [www.epa.gov/ground-water-and-drinking-water](http://www.epa.gov/ground-water-and-drinking-water) and [www.cdc.gov/healthywater/drinking/public/water\\_diseases.html](http://www.cdc.gov/healthywater/drinking/public/water_diseases.html) and are available from the Safe Drinking Water Hotline (1-800-426-4791).

# PROTECTING WATER QUALITY AT THE SOURCE

Source water protection is an important issue for all of California. Public water systems are required to conduct a comprehensive sanitary survey of their watersheds every five years and submit them to the State Water Resources Control Board's Division of Drinking Water. Watershed sanitary surveys examine possible sources of drinking water contamination and recommend actions to better protect these source waters. The most recent surveys for Metropolitan's source waters are the Colorado River Watershed Sanitary Survey – 2020 Update and the State Water Project Watershed Sanitary Survey – 2021 Update.

Source waters used by Metropolitan – the Colorado River and State Water Project – each have different water quality challenges. Both are exposed to stormwater runoff, recreational activities, wastewater discharges, wildlife, fires and other watershed-related factors that could affect water quality. Treatment to remove specific contaminants can be more expensive than measures to protect water at the source, which is why Metropolitan and other water agencies invest resources to support improved watershed protection programs.



Aerial view of the  
Colorado River Aqueduct.

# METROPOLITAN'S WATER QUALITY LABORATORIES RISE TO THE CHALLENGE

While Metropolitan ensures the public's water safety, the State Water Resource Control Board's Environmental Laboratory Accreditation Program certifies our main Water Quality Laboratory in La Verne and the five satellite laboratories as required by the California Health and Safety Code. By providing accreditation, ELAP verifies that Metropolitan meets required qualifications, level of performance, quality standards, and promotes trust, accuracy, and reliability in the laboratories and the data they produce. Metropolitan's Water Quality Laboratory and the five treatment plant labs maintain ELAP certification, and each certificate lists the analytes (constituents) and tests for which the laboratory is accredited.



Intern Sevena Panosian disposing of chemistry water samples.



Associate Chemist Ryan Jones reviewing data from an ion chromatograph instrument.

The State Water Resources Control Board recently adopted a comprehensive reform of the environmental laboratory regulation, which became effective in January 2021 with full compliance required by January 1, 2024. Many actions to comply with the new, more stringent laboratory standards are already underway, which include revising the laboratory's information management system in a move towards paperless laboratory tools, completing a new laboratory quality manual, updating standard operating procedures for most analytical methods, implementing an internal audit system, conducting annual laboratory ethics and data integrity training for all laboratory staff, and developing document control procedures.

Complying with the laboratory accreditation regulation and all its associated quality assurance procedures ensures that Metropolitan's treated water meets or surpasses all regulatory requirements necessary to safeguard public health.

# WATER QUALITY THAT GOES ABOVE AND BEYOND

Metropolitan goes above and beyond the state and federal regulations, to protect public health, by participating in the Partnership for Safe Water (<https://www.awwa.org/Resources-Tools/Programs/Partnership-for-Safe-Water>). This program is a cooperative effort between six national drinking water organizations focused on encouraging water suppliers to improve the quality of drinking water delivered to customers by optimizing treatment plant and distribution system operations.




Metropolitan has established operational and water quality goals that are more stringent than regulatory requirements. The Diemer, Jensen, and Weymouth treatment plants received and maintain PSW Phase IV President's Awards for achieving the highest possible levels of individual filter turbidity performance. Metropolitan's treated water distribution system received and maintains the Phase IV Excellence in Distribution System Optimization Award for achieving the highest level of optimization thus protecting the reliability and safety of our treated water delivery system and demonstrating commitment to continuous improvement.



Aerial view of Robert A. Skinner Water Treatment Plant.

\* The six organizations are the American Water Works Association, U.S. Environmental Protection Agency, Association of State Drinking Water Administrators, Association of Metropolitan Water Agencies, National Association of Water Companies, and The Water Research Foundation.





## **READERS' GUIDE TO THE WATER QUALITY TABLE**

The cornerstone of the water quality report is a table that lists the results of year-round monitoring for over 400 constituents. Only the constituents that are found in the water monitored by Metropolitan above the state detection limit for reporting are listed in the table.

**Metropolitan met all primary drinking water standards in 2021.**

By reading the table on pages 12 through 14 from left to right, you will learn the level of a constituent found in Metropolitan's water and how that compares with the allowable state and federal limits. You also will see the measured range and average of the constituent and where it likely originated. The questions and answers on this and the following page, lettered A through I, will explain the important elements of the table. The letters correspond to row and column headings on the water quality table.

### **A** What are the sources of water Metropolitan delivers?

Metropolitan imports water from Northern California through the Sacramento-San Joaquin Delta via the State Water Project, and from the Colorado River through its Colorado River Aqueduct. The table shows the percentage of the total water delivered by Metropolitan that is from the State Water Project. The remainder is from the Colorado River.

### **B** What is in my drinking water?

Your water may contain different types of chemicals (organic and inorganic), microscopic organisms (e.g., bacteria, algae, protozoa, and viruses) and radioactive materials (radionuclides), many of which are naturally occurring. Health agencies require monitoring for these constituents because at certain levels they could result in short- and long-term health risks. The column marked "Parameter" lists the constituents found in the water from Metropolitan's treatment plants.

### **C** How are constituents reported?

"Units" describe how a constituent is reported. Usually constituent levels are measured in extremely low quantities such as parts per million, parts per billion and, in some cases, parts per trillion. Even small concentrations of certain constituents can be a potential health concern. That is why regulatory standards are set at extremely low levels for certain constituents.

### **D** What are the maximum allowed levels for constituents in drinking water?

Regulatory agencies have maximum contaminant levels for constituents so that drinking water is safe and looks, tastes and smells good. A few constituents have the letters "TT" (treatment technique) in the MCL column because they do not have a numerical MCL. Instead, they have certain treatment requirements that have to be met to reduce their levels in drinking water.

One of the constituents, total chlorine residual, has a maximum residual disinfectant level instead of an MCL. The MRDL is the level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap. While disinfectants are necessary to kill harmful microbes, drinking water regulations protect against too much disinfectant being added. Another constituent, turbidity, has a requirement that 95 percent of the measurements must be below a certain number. Turbidity is a measure of the cloudiness of the water. Metropolitan monitors turbidity because it is a good indicator of the effectiveness of our filtration system.

### **E** Why are some of the constituents listed in the section labeled "Primary Standards" and others in the "Secondary Standards" section?

Primary standards are developed for the purpose of protecting the public from possible health risks associated with exposure to health-compromising constituents. In general, no health hazard is reasonably expected to occur when levels of a constituent are below a primary MCL.

Constituents that are grouped under the secondary standards section can affect the aesthetics (e.g., appearance, taste and smell) of water. These substances are not reasonably expected to have any potential health-related impacts unless they also have a primary standard. Some constituents (e.g., aluminum) have two different MCLs, one to protect against health-related impacts, and another to protect against non-health-related impacts.

## F What are Public Health Goals and Maximum Contaminant Level Goals?

Public Health Goals and Maximum Contaminant Level Goals are targets set by regulatory agencies for the water industry. They define a constituent level in the water that does not pose any known or expected risk to health. Often, it is not possible to remove or reduce constituents to the level of PHGs and MCLGs because it is technologically impossible or the cost for treatment is so expensive that it would make tap water unaffordable. That is why PHGs and MCLGs are considered goals to work toward, and not realistic standards that can be enforced. Similar goals exist for Maximum Residual Disinfectant Level Goals (see MRDLG, page 13, Abbreviations and Definitions).

## G How do I know how much of a constituent is in my water and if it is at a level that is safe?

With a few exceptions, regulatory requirements are considered satisfied if the average amount of a constituent found in tap water over the course of a year is no greater than the MCL. Some constituents do have special rules, described in the footnotes to the water quality table.

These constituents do not have a numerical MCL, but instead a required treatment technique that when satisfied is listed in the column for the treatment plant effluent and distribution system (Column “H” of the table). The highest and lowest levels measured over a year are shown in the range. Requirements for safety, appearance, taste and smell are based on the average levels recorded and not the range.

Water agencies have specific procedures to follow if a constituent is found at levels higher than the MCL and considered a potential threat to public health. Information is shared immediately with the regulatory agencies. The regulatory agencies will determine when and how this information is shared with the public.

## H What are the areas served by each of Metropolitan’s treatment plants and its distribution system?

Metropolitan operates five water treatment plants, and the monitoring results for the supplies delivered by each of the plants are listed. Typically, the F.E. Weymouth Water Treatment Plant serves parts of Los Angeles County, the San Gabriel Valley and areas of Orange County. The Robert B. Diemer Water Treatment Plant also provides treated water to areas of Orange County and coastal Los Angeles. The Joseph Jensen Water Treatment Plant supplements local water supplies in the San Fernando Valley, Ventura County and central Los Angeles. The Robert A. Skinner Water Treatment Plant serves western Riverside County, Moreno Valley and San Diego County. Finally, the Henry J. Mills Water Treatment Plant also serves western Riverside County and Moreno Valley.

## I How do constituents get into the water supply?

The most likely source for each constituent is listed in the last column of the table. Some constituents are natural and come from the environment, others come from cities and farms, and some result from the water disinfection process itself. Some chemicals have found their way into California’s water supplies, making water treatment more difficult. Certain industrial processes — like dry cleaning, fireworks and rocket fuel manufacturing — have left constituents in the environment, as has the use of certain fertilizers and pesticides. Many of these chemicals have since been banned from use.



Assistant Microbiologist Luis Rojas and Laboratory Technologist Patty Leung perform *Cryptosporidium* and *Giardia* analysis.

# 2021 WATER QUALITY TABLE

B	C	D	F	G	H					I
					Treatment Plant Effluents and Distribution System					
Parameter	Units	State (Federal) MCL	PHG	Range Average	Diemer Plant	Jensen Plant	Mills Plant	Skinner Plant	Weymouth Plant	Major Sources in Drinking Water
<b>A</b> Percent State Water Project	%	NA	NA	Range Average	0 - 100 11	100	100	0 - 55 6	0 - 100 24	Not Applicable
<b>E PRIMARY STANDARDS - Mandatory Health-Related Standards</b>										
<b>CLARITY</b>										
Combined Filter Effluent (CFE) Turbidity <sup>a</sup>	NTU %	TT	NA	Highest % ≤ 0.3	0.03 100	0.06 100	0.06 100	0.09 100	0.03 100	Soil runoff
<b>MICROBIOLOGICAL<sup>b</sup></b>										
Total Coliform Bacteria <sup>c</sup>	% Positive Monthly Samples	5.0	MCLG = 0	Range Average	<i>Distribution Systemwide: 0 - 0.4</i>					Naturally present in the environment
					<i>Distribution Systemwide: 0</i>					
<b>INORGANIC CHEMICALS</b>										
Aluminum <sup>d</sup>	ppb	1,000	600	Range Highest RAA	ND - 210 141	ND - 120 64	ND - 85 ND	ND - 200 119	ND - 240 148	Residue from water treatment process; runoff and leaching from natural deposits
Barium	ppb	1,000	2,000	Range Average	111	ND	ND	ND	110	Oil and metal refineries discharge; natural deposits erosion
Fluoride <sup>e</sup>	ppm	2.0	1	Range	0.6 - 0.9	0.6 - 0.8	0.5 - 0.9	0.6 - 0.9	0.6 - 0.9	Runoff and leaching from natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories
				Average	0.7	0.7	0.8	0.7	0.7	
					<i>Distribution Systemwide: 0.6 - 0.9</i>					
					<i>Distribution Systemwide: 0.7</i>					
<b>RADIONUCLIDES<sup>f</sup></b>										
Gross Alpha Particle Activity	pCi/L	15	MCLG = 0	Range Average	ND - 3 ND	ND	ND - 4 ND	ND - 3 ND	ND	Runoff/leaching from natural deposits
Gross Beta Particle Activity	pCi/L	50	MCLG = 0	Range Average	4 - 6 5	ND	ND - 6 ND	ND - 7 4	4 - 6 5	Decay of natural and man-made deposits
Radium-228	pCi/L	NA	0.019	Range Average	ND	ND	ND	ND - 1 ND	ND - 1 ND	Erosion of natural deposits
Uranium	pCi/L	20	0.43	Range Average	1 - 3 2	ND - 3 ND	ND - 2 ND	ND - 2 2	1 - 3 2	Erosion of natural deposits
<b>DISINFECTION BYPRODUCTS, DISINFECTANT RESIDUALS, AND DISINFECTION BYPRODUCT PRECURSORS<sup>g</sup></b>										
Total Trihalomethanes (TTHM) (Plant Core Locations and Distribution System)	ppb	80	NA	Range	26 - 36	13 - 27	13 - 36	12 - 35	26 - 35	Byproduct of drinking water chlorination
				Highest LRAA	32	20	24	23	30	
					<i>Distribution Systemwide: 12 - 39</i>					
					<i>Distribution Systemwide: 33</i>					
Sum of Five Haloacetic Acids (HAA5) (Plant Core Locations and Distribution System)	ppb	60	NA	Range	2.8 - 9.5	1.8 - 4.4	1.9 - 6.4	2.0 - 14	1.5 - 6.1	Byproduct of drinking water chlorination
				Highest LRAA	5.4	3.9	6.0	9.8	5.4	
					<i>Distribution Systemwide: 1.5 - 14</i>					
					<i>Distribution Systemwide: 9.8</i>					
Bromate	ppb	10	0.1	Range Highest RAA	ND - 4.6 ND	1.2 - 9.8 4.5	ND - 8.6 4.1	ND - 2.5 1.0	ND - 7.0 ND	Byproduct of drinking water ozonation
Total Chlorine Residual	ppm	MRDL = 4.0	MRDLG = 4.0	Range	<i>Distribution Systemwide: 1.4 - 2.9</i>					Drinking water disinfectant added for treatment
				Highest RAA	<i>Distribution Systemwide: 2.4</i>					
Total Organic Carbon (TOC)	ppm	TT	NA	Range Highest RAA	1.9 - 2.8 2.4	1.1 - 2.0 2.0	1.6 - 2.4 2.0	2.2 - 2.7 2.5	1.8 - 2.5 2.4	Various natural and man-made sources; TOC is a precursor for the formation of disinfection byproducts

B	C	D	F	G	H					I
					Treatment Plant Effluents and Distribution System					
Parameter	Units	State (Federal) MCL	PHG	Range Average	Diemer Plant	Jensen Plant	Mills Plant	Skinner Plant	Weymouth Plant	Major Sources in Drinking Water
<b>E SECONDARY STANDARDS - Aesthetic Standards</b>										
Aluminum <sup>d</sup>	ppb	200	600	Range Highest RAA	ND - 210 141	ND - 120 64	ND - 85 ND	ND - 200 119	ND - 240 148	Residue from water treatment process; runoff and leaching from natural deposits
Chloride	ppm	500	NA	Range Average	95 - 97 96	65 - 80 72	75 - 93 84	92 - 97 94	95 - 97 96	Runoff/leaching from natural deposits; seawater influence
Color	Color Units	15	NA	Range Average	1	1 - 2 2	1	1	1	Naturally occurring organic materials
Odor Threshold	TON	3	NA	Range Average	2	1	2	2	1	Naturally occurring organic materials
Specific Conductance	µS/cm	1,600	NA	Range Average	950 - 965 958	519 - 598 558	535 - 612 574	918 - 956 937	962 - 965 964	Substances that form ions in water; seawater influence
Sulfate	ppm	500	NA	Range Average	214 - 215 214	61 - 72 66	52 - 67 60	197 - 221 209	217 - 221 219	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids (TDS) <sup>h</sup>	ppm	1,000	NA	Range Average	597	298 - 302 300	292 - 334 313	557 - 604 580	599 - 609 604	Runoff/leaching from natural deposits

## Abbreviations and Definitions

<b>Average</b>	Arithmetic mean	<b>NTU</b>	Nephelometric Turbidity Units
<b>CFE</b>	Combined Filter Effluent	<b>pCi/L</b>	picoCuries per liter
<b>HAA5</b>	Sum of five haloacetic acids	<b>PHG</b>	<b>Public Health Goal</b> - The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
<b>LRAA</b>	<b>Locational Running Annual Average</b> - the average of results for samples taken at a particular monitoring location during the previous four calendar quarters.	<b>ppb</b>	parts per billion or micrograms per liter (µg/L)
<b>MCL</b>	<b>Maximum Contaminant Level</b> - The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.	<b>ppm</b>	parts per million or milligrams per liter (mg/L)
<b>MCLG</b>	<b>Maximum Contaminant Level Goal</b> - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.	<b>RAA</b>	<b>Running Annual Average</b> - the average of all sample results taken during the previous four calendar quarters.
<b>MRDL</b>	<b>Maximum Residual Disinfectant Level</b> - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.	<b>Range</b>	Results based on minimum and maximum values; range and average values are the same if a single value is reported for samples collected once or twice annually.
<b>MRDLG</b>	<b>Maximum Residual Disinfectant Level Goal</b> - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.	<b>TON</b>	Threshold Odor Number
<b>NA</b>	Not Applicable	<b>TT</b>	<b>Treatment Technique</b> - A required process intended to reduce the level of a contaminant in drinking water.
<b>ND</b>	Not Detected at or above DLR or RL	<b>µS/cm</b>	microSiemens per centimeter
		<b>Primary Standards (Primary Drinking Water Standards)</b>	MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
		<b>Secondary Standards</b>	Requirements that ensure the appearance, taste and smell of drinking water are acceptable.

## Footnotes

- Metropolitan monitors turbidity at the CFE locations using continuous and grab samples. Turbidity, a measure of cloudiness of the water, is an indicator of treatment performance. Turbidity was in compliance with the TT primary drinking water standard and the secondary drinking water standard of less than 5 NTU.
- Per the state's Surface Water Treatment Rule, treatment techniques that remove or inactivate *Giardia* cysts will also remove Heterotrophic Plate Count bacteria, Legionella, and viruses. Legionella and virus monitoring is not required.
- Compliance is based on monthly samples from treatment plant effluents and the distribution system.
- Compliance with the State MCL for aluminum is based on RAA. No secondary standard MCL exceedance occurred.
- Metropolitan was in compliance with all provisions of the state's fluoridation system requirements.
- Starting in 2021, samples are collected quarterly for gross beta particle activity. Gross alpha particle activity and uranium data are from samples collected in 2020 for the required triennial monitoring (2020-2022).
- Compliance with the state and federal MCLs is based on RAA or LRAA, as appropriate. Plant core locations for TTHM and HAA5 are service connections specific to each of the treatment plant effluents. One core location from the Jensen treatment plant effluent's service connections was excluded in the RAA and LRAA calculations due to operational changes in the Jensen distribution system.
- Metropolitan's TDS compliance data are based on flow-weighted monthly composite samples collected twice per year (April and October). The 12-month statistical summary of flow-weighted data is reported in the table titled "Other Detected Constituents That May be of Interest to Consumers".

# OTHER DETECTED CONSTITUENTS THAT MAY BE OF INTEREST TO CONSUMERS

Parameter	Units	NL	Range Average	Treatment Plant Effluents and Distribution System					Major Sources in Drinking Water
				Diemer Plant	Jensen Plant	Mills Plant	Skinner Plant	Weymouth Plant	
<b>Alkalinity (as CaCO<sub>3</sub>)</b>	ppm	NA	Range Average	124 - 126 125	86 - 97 92	79 - 91 85	121 - 123 122	123 - 128 126	Runoff/leaching of natural deposits; carbonate, bicarbonate, hydroxide, and occasionally borate, silicate, and phosphate
<b>Boron</b>	ppb	1,000	Range Average	130	180	190	140	130	Runoff/leaching from natural deposits; industrial wastes
<b>Calcium</b>	ppm	NA	Range Average	65 - 66 66	27 - 32 30	24 - 26 25	62 - 64 63	64 - 70 67	Runoff/leaching from natural deposits
<b>Calcium Carbonate Precipitation Potential (CCPP) (as CaCO<sub>3</sub>)<sup>a</sup></b>	ppm	NA	Range Average	3.2 - 11 8.7	1.2 - 3.4 2.2	1.4 - 2.6 1.9	4.6 - 12 9.4	2.4 - 11 8.3	A measure of the balance between pH and calcium carbonate saturation in the water
<b>Chlorate</b>	ppb	800	Range Average	59	88	39	49	55	Byproduct of drinking water chlorination; industrial processes
<b>Corrosivity as Aggressiveness Index<sup>b</sup></b>	AI	NA	Range Average	12.4 - 12.5 12.4	12.2	12.0 - 12.2 12.1	12.4	12.4 - 12.5 12.4	A measure of the balance between pH and calcium carbonate saturation in the water
<b>Corrosivity as Saturation Index<sup>c</sup></b>	SI	NA	Range Average	0.57 - 0.61 0.59	0.35 - 0.40 0.38	0.25 - 0.34 0.30	0.61 - 0.62 0.62	0.52 - 0.61 0.56	A measure of the balance between pH and calcium carbonate saturation in the water
<b>Hardness (as CaCO<sub>3</sub>)</b>	ppm	NA	Range Average	271 - 276 274	110 - 133 122	111 - 119 115	264 - 273 268	270 - 273 272	Runoff/leaching from natural deposits; sum of polyvalent cations, generally magnesium and calcium present in the water
<b>Magnesium</b>	ppm	NA	Range Average	24 - 26 25	12 - 13 12	12	23 - 25 24	25 - 26 26	Runoff/leaching from natural deposits
<b>N-Nitrosodimethylamine (NDMA)</b>	ppt	10 PHG = 3	Range Range	ND	2.6	4.6	ND	ND	Byproduct of drinking water chloramination; industrial processes
				<i>Distribution Systemwide: ND – 4.2</i>					
<b>Perfluorohexanoic Acid (PFHxA)</b>	ppt	NA	Range Average	ND	ND	2.3	ND	ND	Industrial chemical factory discharges; runoff/leaching from landfills; used in fire-retarding foams and various industrial processes
<b>pH</b>	pH Units	NA	Range Average	8.1	8.3 - 8.4 8.3	8.2 - 8.5 8.4	8.1 - 8.2 8.1	8.1	Not Applicable
<b>Potassium</b>	ppm	NA	Range Average	4.2 - 4.6 4.4	2.6 - 2.7 2.7	3.0 - 3.4 3.2	4.3 - 4.7 4.5	4.4 - 4.7 4.6	Salt present in the water; naturally occurring
<b>Sodium</b>	ppm	NA	Range Average	93 - 95 94	61 - 68 64	60 - 76 68	92 - 95 94	95 - 101 98	Salt present in the water; naturally occurring
<b>Sum of Five Haloacetic Acids (HAA5)<sup>d</sup></b>	ppb	MCL = 60	Range Average	2.4 - 7.1 4.9	2.3 - 3.6 3.0	1.7 - 4.2 3.1	4.3 - 10 7.4	1.4 - 5.8 3.7	Byproduct of drinking water chlorination
<b>Total Dissolved Solids (TDS)<sup>e</sup></b>	ppm	MCL = 1,000	Range Average	392 - 597 563	276 - 340 304	284 - 331 298	476 - 598 575	400 - 604 567	Runoff/leaching from natural deposits
<b>Total Trihalomethanes (TTHM)<sup>d</sup></b>	ppb	MCL = 80	Range Average	15 - 33 26	7.6 - 19 12	9.8 - 37 19	8.3 - 40 21	17 - 39 28	Byproduct of drinking water chlorination

## Abbreviations and Definitions

(please refer to the main table for other abbreviations and definitions)

- AI** Aggressiveness Index
- CaCO<sub>3</sub>** Calcium Carbonate
- CCPP** Calcium Carbonate Precipitation Potential
- NL** **Notification Level** - The level that requires the public water system to notify the State Water Resources Control Board.
- ppt** parts per trillion or nanograms per liter (ng/L)
- SI** Saturation Index

## Footnotes

- (a)** Positive CCPP = non-corrosive; tendency to precipitate and/or deposit scale on pipes. Negative CCPP = corrosive; tendency to dissolve calcium carbonate. Reference: *Standard Methods (SM2330)*
- (b)** AI ≥ 12.0 = Non-aggressive water; AI 10.0 - 11.9 = Moderately aggressive water; AI ≤ 10.0 = Highly aggressive water. Reference: *ANSI/AWWA Standard C400-93 (R98)*
- (c)** Positive SI = non-corrosive; tendency to precipitate and/or deposit scale on pipes. Negative SI = corrosive; tendency to dissolve calcium carbonate. Reference: *Standard Methods (SM2330)*
- (d)** HAA5 and TTHM noncompliance samples collected at treatment plant effluents.
- (e)** Statistical summary represents 12 months of flow-weighted data and values may be different than the TDS reported to meet compliance with secondary drinking water regulations. Metropolitan's calculated TDS goal is ≤ 500 mg/L.



Assistant Chemist Miguel Barrios loading water samples in an automated pH analyzer for testing.

## **ADDITIONAL INFORMATION**

Additional information about drinking water safety and standards can be found at:

### **STATE WATER RESOURCES CONTROL BOARD DIVISION OF DRINKING WATER**

1001 I Street  
Sacramento, CA 95814  
(916) 449-5577

[waterboards.ca.gov/drinking\\_water/  
programs/](http://waterboards.ca.gov/drinking_water/programs/)

### **U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF GROUND WATER AND DRINKING WATER**

1200 Pennsylvania Avenue, NW  
Mail Code 4606M  
Washington, DC 20460-0003


[epa.gov/ground-water-and-  
drinking-water](http://epa.gov/ground-water-and-drinking-water)

### **CONSUMER INFORMATION**

[epa.gov/CCR](http://epa.gov/CCR)

### **INFORMATION ON HOW DRINKING WATER STANDARDS ARE ESTABLISHED**

[epa.gov/dwstandardsregulations](http://epa.gov/dwstandardsregulations)



## Arabic

هامة عن نوعية مياه الشرب. يرجى ترجمته أو مناقشته مع شخص يفهمه جيداً.  
يحتوي هذا التقرير على معلومات

## Chinese

这份报告中有关于饮用水的重要信息。请您找人翻译，或者请能看得懂这份报告的朋友给您解释一下。

## French

Cé rapport contient des information importantes concernant votre eau potable. Veuillez traduire, ou parlez avec quelqu'un qui peut le comprendre.

## German

Dieser Bericht enthält wichtige Informationen über die Wasserqualität in Ihrer Umgebung. Der Bericht sollte entweder offiziell übersetzt werden, oder sprechen Sie mit Freunden oder Bekannten, die gute Englishkenntnisse besitzen.

## Greek

Αυτή η αναφορά περιέχει σημαντικές πληροφορίες σχετικά με το πόσιμο νερό. Μεταφράστε την ή ζητήστε να σας την εξηγήσει κάποιος που την κατανοεί.

## Hindi

इस रिपोर्ट में पीने के पानी के बारे में महत्वपूर्ण जानकारी दी गई है। इसका अनुवाद करें, या किसी ऐसे व्यक्ति से बात करें, जो इसे समझता हो।

## Japanese

この資料には、あなたの飲料水についての大切な情報が書かれています。内容をよく理解するために、日本語に翻訳して読むか説明を受けてください。

## Khmer

របាយការណ៍នេះមានព័ត៌មានសំខាន់ៗអំពីទឹកស្រាប់ពិសា។ សូមបកប្រែ ឬពិគ្រោះជាមួយអ្នកដែលមើលយល់របាយការណ៍នេះ។

## Korean

이 보고서에는 귀하가 거주하는 지역의 수질에 관한 중요한 정보가 들어 있습니다. 이 보고서를 번역하시거나, 내용을 이해하는 분과 상의하십시오.

## Polish

Sprawozdanie zawiera ważne informacje na temat jakości wody w Twojej miejscowości. Poproś kogoś o przelustrnienie go lub porozmawiaj z osobą która je dobrze rozumie.

## Russian

Отчет содержит важную информацию о питьевой воде. Переведите его или попросите кого-нибудь, кто хорошо понимает текст, объяснить вам его содержание.

## Spanish

Este informe contiene información importante acerca de su agua potable. Tradúzcalo o hable con alguien que lo entienda.

## Tagalog

Ang ulat na ito ay naglalaman ng mahahalagang impormasyon tungkol sa pag-inom ng tubig. Mangyaring ipasalin ito, o kumausap sa isang taong nakakaintindi nito.

## Vietnamese

Bản báo cáo này có chứa các thông tin quan trọng về nước uống. Hãy dịch, hoặc nói chuyện với ai đó hiểu bản báo cáo này.



## 2022 Annual Drinking Water Quality Report

Covering the reporting period of January - December 2021

This report is very important to read or have translated. The sentences to the left reflect the diversity of Metropolitan's service area and read, "This report contains important information about your drinking water. Translate it, or speak with someone who understands it."

Metropolitan's Board of Directors typically meets on the second Tuesday of each month at the district's downtown Los Angeles headquarters building at 700 N. Alameda St., Los Angeles, adjacent to historic Union Station. More information is available at [mwdh2o.com](http://mwdh2o.com)

Printed by MWD Imaging Services

June 2022 1,000